INDEX TO AUTHORS

A

Abbott, Lynn DeForrest, Jr. See GAEBLER, 397

Almquist, H. J. Chemical and physical studies on the antihemorrhagic vitamin, 517

B

Bashour, Joseph T., and **Bauman, Louis.** Note on the quantitative precipitation of cholesterol digitonide in the presence of bile salts, 551

Bauman, Louis. See BASHOUR and BAUMAN, 551

Behre, Jeanette Allen, and **Benedict, Stanley R.** Experiments on the precipitation of creatinine rubidium picrate from blood plasma filtrates, 415

Behrens, Otto K. See DU VIGNEAUD and BEHRENS, 27

Benedict, Stanley R. See BEHRE and BENEDICT, 415

Berg, Clarence P. See CONRAD and BERG, 351

Berger, J., Johnson, Marvin J., and **Peterson, W. H.** The proteolytic enzymes of some common molds, 429

Bergmann, Max, and **Fruton, Joseph S.** On proteolytic enzymes. XII. Regarding the specificity of aminopeptidase and carboxypeptidase. A new type of enzyme in the intestinal tract, 189

Bergmann, Werner. Contributions to the study of marine products. IV. The sterols of starfish, 777

—. The sterols of silkworm feces, 175

Bischoff, Fritz, and **Elliot, A. H.** Chemical studies of callicrein, 7

Biscoe, J. See WYCKOFF, BISCOE, and STANLEY, 57

Blatherwick, N. R. See LARSON, BLATHERWICK, BRADSHAW, EWING, and SAWYER, 719

Blunden, Harry. See BUTTS, BLUNDEN, GOODWIN, and DEUEL, 131

—. See DEUEL, BUTTS, BLUNDEN, CUTLER, and KNOTT, 119

Borsook, Henry, Davenport, Horace W., Jeffreys, Cecil E. P., and **Warner, Robert C.** The oxidation of ascorbic acid and its reduction *in vitro* and *in vivo*, 237

—, **Ellis, Emory L.,** and **Huffman, Hugh M.** Sulfhydryl oxidation-reduction potentials de-

rived from thermal data, 281

Boyd, Eldon M., and **Murray, Ronald B.** The effect of anticoagulants on blood lipids, 629

—, and **Stevenson, J. W.** The lipid content of rabbit leucocytes, 491

Bradshaw, Phoebe J. See Larson, Blatherwick, Bradshaw, Ewing, and Sawyer, 719

Butts, Joseph S., Blunden, Harry, Goodwin, Willard, and **Deuel, Harry J., Jr.** Studies on ketosis. X. Glycogen synthesis after ethyl esters of various fatty acids, 131

—. See Deuel, Butts, Blunden, Cutler, and Knott, 119

C

Carter, Herbert E. See Wood, Madden, and Carter, 1

Chambers, Leslie A. The influence of intense mechanical vibration on the proteolytic activity of pepsin, 639

Chandler, W. L. See Hassid and Chandler, 203

Cipriani, A. J. See Evelyn and Cipriani, 365

Clark, Harold E. See Pucher, Clark, and Vickery, 599, 605

Compton, Jack. See Levene and Compton, 37

Conrad, Ralph M., and **Berg, Clarence P.** The optical inversion of *d*-histidine in the animal body, 351

Cutler, Charles H. See Deuel, Butts, Blunden, Cutler, and Knott, 119

D

Daly, C. See Dill, Daly, and Forbes, 569

Davenport, Horace W. See Borsook, Davenport, Jeffreys, and Warner, 237

Deuel, Harry J., Jr., Butts, Joseph S., Blunden, Harry, Cutler, Charles H., and **Knott, Leslie.** Studies on ketosis. IX. Glycogen formation from various purified and natural fats, 119

—. See Butts, Blunden, Goodwin, and Deuel, 131

Dill, D. B., Daly, C., and **Forbes, W. H.** The pK′ of serum and red cells, 569

Dounce, Alexander L. See Sumner and Dounce, 713

Dunn, Max S., and **Weiner, Joseph G.** Quantitative investigations of amino acids and peptides. III. Apparent acid dissociation constants in aqueous formaldehyde solution, 381

E

Eck, John C., Thomas, Byron H., and **Yoder, Lester.** The chemical activation of sterols. II. The chemical activation of cholesterol and various cholesterol derivatives, 655

Eichelberger, Lillian. See Hastings and Eichelberger, 73

Elliot, A. H. See Bischoff and Elliot, 7

Ellis, Emory L. See Borsook, Ellis, and Huffman, 281

Elvehjem, C. A. See Potter and Elvehjem, 341

Evelyn, Kenneth A., and **Ciprian, A. J.** A photoelectric microcolorimeter, 365

Ewing, Mary E. See Larson, Blatherwick, Bradshaw, Ewing, and Sawyer, 719

F

Forbes, W. H. See Dill, Daly, and Forbes, 569

French, H. E. See McShan and French, 111

Fruton, Joseph S. See Bergmann and Fruton, 189

G

Gaebler, Oliver Henry. The apparent creatinine of serum and laked blood ultrafiltrates, 397

German, Bernard, and **Wyman, Jeffries, Jr.** The titration curves of oxygenated and reduced hemoglobin, 533

Ghantus, Musa. See Kerr and Ghantus, 217

Goodell, M. See Sahyun, Goodell, and Nixon, 685

Goodwin, Willard. See Butts, Blunden, Goodwin, and Deuel, 131

—. See Deuel, Butts, Blunden, Cutler, and Knott, 119

Gould, Charles. See Deuel, Butts, Blunden, Cutler, and Knott, 119

H

Hallman, Lois F. See Deuel, Butts, Blunden, Cutler, and Knott, 119

Hanke, Martin E. See Kendrick and Hanke, 161

Hassid, W. Z., and **Chandler, W. L.** The isolation of a new polysaccharide synthesized by a soil microorganism, 203

Hastings, A. Baird, and **Eichelberger, Lillian.** The exchange of salt and water between muscle and blood. I. The effect of an increase in total body water produced by the intravenous injection of isotonic salt solutions, 73

Heller, Robert. See Deuel, Butts, Blunden, Cutler, and Knott, 119

Hess, W. C. See Sullivan and Hess, 423

Hilbert, Guido E., and **Rist, Carl E.** Synthesis of 1-*d*-ribosidouracil. Interaction of acetobromo-*d*-ribose and 2,4-diethoxypyrimidine, 371

Hisey, Alan. See Morrison and Hisey, 693

Huffman, Hugh M. See Borsook, Ellis, and Huffman, 281

I

Irving, George W., Jr. See du Vigneaud, Sifferd, and Irving, 589

J

Jeffreys, Cecil E. P. See Borsook, Davenport, Jeffreys, and Warner, 237

Johnson, Marvin J. See BERGER, JOHNSON, and PETERSON, 429

Jones, Herman D. See WILKINS and JONES, 481

Jukes, Thomas H. Further observations on the assay, distribution, and properties of the filtrate factor, 11

K

Kendrick, A. B., and **Hanke, Martin E.** The use of iodine and other modifications in the Van Slyke manometric amino nitrogen method, 161

Kerr, Stanley E. Studies on the inorganic composition of blood. IV. The relationship of potassium to the acid-soluble phosphorus fractions, 227

— and **Ghantus, Musa.** The carbohydrate metabolism of brain. III. On the origin of lactic acid, 217

Knott, Leslie. See DEUEL, BUTTS, BLUNDEN, CUTLER, and KNOTT, 119

L

Larson, Hardy W., Blatherwick, N. R., Bradshaw, Phoebe J., Ewing, Mary E., and **Sawyer, Susan D.** The metabolism of *d*-xylulose, 719

Lavine, Theodore F. The action of mercuric sulfate and chloride on cysteine, cystine, cysteine sulfinic acid (R—SO_2H), and cysteic acid with reference to the dismutation of cystine, 309

Levene, P. A., and **Compton, Jack.** Synthetic nucleosides. V. Theophylline-*d*-allomethyloside, 37

— and **Mardashew, Serge.** Configurational relationships of the aliphatic and aromatic amino acids, 179

— and —. The correlation of the configuration of norleucine to 2-aminohexane, 707

Lewis, Howard B. See WHITE, LEWIS, and WHITE, 663

Loring, Hubert S., and **Stanley, W. M.** Isolation of crystalline tobacco mosaic virus protein from tomato plants, 733

M

Madden, Robert J. See WOOD, MADDEN, and CARTER, 1

Man, Evelyn B. A note on the stability and quantitative determination of phosphatides, 183

Mann, Frank C. See STEKOL and MANN, 619

Marble, Alexander. See SMITH and MARBLE, 673

Mardashew, Serge. See LEVENE and MARDASHEW, 179, 707

McCoy, Richard H., and **Rose, William C.** The relation of glycine and serine to growth, 581

McShan, W. H., and **French, H. E.** The chemistry of the lactogenic hormone extracts, 111

Moreland, Ferrin B. On some changes in the chemical composition of the blood of the turtle following complete anoxia, 471

Morrison, Dempsie B., and **Hisey, Alan.** The preparation of hemoglobin in a dry and active state, 693

Murray, Ronald B. See BOYD and MURRAY, 629

Murray, Sheila. See DEUEL, BUTTS, BLUNDEN, CUTLER, and KNOTT, 119

N

Nixon, Arthur. See SAHYUN, GOODELL, and NIXON, 685

O

O'Brien, Helen. See STADIE and O'BRIEN, 439

Orcutt, F. S., and **Seevers, M. H.** A method for determining the solubility of gases in pure liquids or solutions by the Van Slyke-Neill manometric apparatus, 501

— and **Waters, R. N.** A method for the determination of cyclopropane, ethylene, and nitrous oxide in blood with the Van Slyke-Neill manometric apparatus, 509

Orten, James M., and **Smith, Arthur H.** A study of certain metabolites and related compounds as precursors of endogenous citric acid, 555

P

Peterson, W. H. See BERGER, JOHNSON, and PETERSON, 429

Pierce, J. A. A capillary, nonpenetrating microquinhydrone electrode, 651

Potter, V. R., and **Elvehjem, C. A.** The effect of inhibitors on succinoxidase, 341

Pucher, George W., Clark, Harold E., and **Vickery, Hubert Bradford.** The organic acids of rhubarb (*Rheum hybridum*). I. On the malic acid of rhubarb, with a note on the malic acid of tobacco leaves, 599

—, —, and —. II. The organic acid composition of the leaves, 605

R

Rist, Carl E. See HILBERT and RIST, 371

Rittenberg, D., and **Schoenheimer, Rudolf.** Deuterium as an indicator in the study of intermediary metabolism. VIII. Hydrogenation of fatty acids in the animal organism, 485

Rose, William C. See MCCOY and ROSE, 581

S

Sahyun, Melville, Goodell, M., and **Nixon, Arthur.** Factors influencing the stability of insulin, 685

Salisbury, L. Frank. The lipids of Connecticut shade-grown tobacco seed, 21

Sando, Charles E. Coloring matters of Grimes Golden, Jonathan, and Stayman Winesap apples, 45

Sawyer, Susan D. See LARSON, BLATHERWICK, BRADSHAW, EWING, and SAWYER, 719

Schlenker, Frank S. Non-sugar reducing substances in plant juices, 727

Schoenheimer, Rudolf. See Rittenberg and Schoenheimer, 485

Seevers, M. H. See Orcutt and Seevers, 501

Sifferd, Robert H. See du Vigneaud, Sifferd, and Irving, 589

Smith, Arthur H. See Orten and Smith, 555

Smith, Elizabeth R. B., and **Smith, Paul K.** The activity of glycine in aqueous solution at twenty-five degrees, 209

Smith, Paul K. See Smith and Smith, 209

Smith, Rachel M., and **Marble, Alexander.** The colorimetric determination of free and combined cholesterol, 673

Smythe, C. V. Phosphoric acid esters from yeast extract. The isolation of a crystalline calcium salt consisting of an equimolar mixture of glucose-monophosphate and glycerophosphate, 135

Somogyi, Michael. A reagent for the copper-iodometric determination of very small amounts of sugar, 771

Sperry, Warren M. The concentration of total cholesterol in the blood serum, 391

— and **Stoyanoff, V. A.** The influence of sodium glycocholate on the enzymatic synthesis and hydrolysis of cholesterol esters in blood serum, 525

Stadie, William C., and **O'Brien, Helen.** The carbamate equilibrium. II. The equilibrium of oxyhemoglobin and reduced hemoglobin, 439

Stanley, W. M. Chemical studies on the virus of tobacco mosaic. VIII. The isolation of a crystalline protein possessing the properties of aucuba mosaic virus, 325

—. IX. Correlation of virus activity and protein on centrifugation of protein from solution under various conditions, 755

—. See Loring and Stanley, 733

—. See Wyckoff, Biscoe, and Stanley, 57

Stekol, Jakob A. Studies on the mercapturic acid synthesis in animals. I. The extent of the synthesis of *p*-bromophenylmercapturic acid in dogs as affected by diets of varying sulfur content, 147

— and **Mann, Frank C.** Studies on the mercapturic acid synthesis in animals. II. The rôle of bile in the absorption and detoxication of bromobenzene and naphthalene in the dog, 619

Stern, Kurt G., and **White, Abraham.** Studies on the constitution of insulin. I. Properties of reduced insulin preparations, 95

Stevenson, J. W. See Boyd and Stevenson, 491

Stoyanoff, V. A. See Sperry and Stoyanoff, 525

Sullivan, M. X., and **Hess, W. C.** Improvements in methods of hydrolysis of protein: shortening the time for estimating cystine, 423

Sumner, James B., and **Dounce, Alexander L.** Does trypsin inactivate urease? 713

T

Thomas, Byron H. See Eck, Thomas, and Yoder, 655

V

Vickery, Hubert Bradford. See Pucher, Clark, and Vickery, 599, 605

du Vigneaud, Vincent, and **Behrens, Otto K.** A method for protecting the imidazole ring of histidine during certain reactions and its application to the preparation of *l*-amino-N-methylhistidine, 27

—, **Sifferd, Robert H.**, and **Irving, George W., Jr.** The utilization of *l*-carnosine by animals on a histidine-deficient diet, 589

W

Warner, Robert C. See Borsook, Davenport, Jeffreys, and Warner, 237

Waters, R. M. See Orcutt and Waters, 509

Weiner, Joseph G. See Dunn and Weiner, 381

White, Abraham. See Stern and White, 95

White, Florence R., Lewis, Howard B., and **White, Julius.** The metabolism of sulfur. XXIV. The metabolism of taurine, cysteic acid, cystine, and of some peptides containing these amino acids, 663

White, Julius. See White, Lewis, and White, 663

Wilkins, Walter E., and **Jones, Herman D.** A method for the quick dry ashing of blood plasma and whole blood for the determination of chlorides, 481

Wood, Marion L., Madden, Robert J., and **Carter, Herbert E.** Synthesis of α-amino-β-hydroxy-*n*-butyric acids. II, 1

Wyckoff, Ralph W. G., Biscoe, J., and **Stanley, W. M.** An ultracentrifugal analysis of the crystalline virus proteins isolated from plants diseased with different strains of tobacco mosaic virus, 57

Wyman, Jeffries, Jr. See German and Wyman, 533

Y

Yoder, Lester. See Eck, Thomas, and Yoder, 655

INDEX TO SUBJECTS

A

Acetobromo-*d*-ribose: 2,4-Diethoxypyrimidine and, interaction (HILBERT and RIST) 371

Allomethyloside: *d*-, theophylline, synthesis (LEVENE and COMPTON) 37

Amino acid(s): Aliphatic and aromatic, configurational relationships (LEVENE and MARDASHEW) 179

Dissociation constants, apparent acid, aqueous formaldehyde solution (DUNN and WEINER) 381

Aminohexane: 2-, norleucine, configurational correlation (LEVENE and MARDASHEW) 707

Amino-β-hydroxy-*n*-butyric acids: α-, synthesis (WOOD, MADDEN, and CARTER) 1

Amino-N-methylhistidine: *l*-, preparation from histidine (DU VIGNEAUD and BEHRENS) 27

Amino nitrogen: Determination, manometric, iodine use (KENDRICK and HANKE) 161

Aminopeptidase: Specificity (BERGMANN and FRUTON) 189

Anoxia: Blood, turtle, effect (MORELAND) 471

Anticoagulants: Blood lipids, effect (BOYD and MURRAY) 629

Antihemmorhage: Vitamin, properties (ALMQUIST) 517

Apparatus: Colorimeter, micro-, photoelectric (EVELYN and CIPRIANI) 365

Electrode, microquinhydrone (PIERCE) 651

Apples: Coloring matter (SANDO) 45

Ascorbic acid: Oxidation and reduction (BORSOOK, DAVENPORT, JEFFREYS, and WARNER) 237

Aucuba: Mosaic virus, tobacco mosaic protein, crystalline, relation (STANLEY) 325

B

Benedict, Stanley Rossiter: Obituary, preceding p. 429

Benzene: Bromo-, absorption and detoxication, bile rôle (STEKOL and MANN) 619

Bile: Bromobenzene absorption and detoxication, rôle (STEKOL and MANN) 619

Naphthalene absorption and detoxication, rôle (STEKOL and MANN) 619

Bile salts: Cholesterol digitonide precipitation, effect (Bashour and Bauman) 551
Blood: Inorganic composition (Kerr) 227
Lipids, anticoagulants, effect (Boyd and Murray) 629
Salt and water, muscle and, exchange, body water effect (Hastings and Eichelberger) 73
Turtle, anoxia effect (Moreland) 471
Blood cell: Red, dissociation constant, apparent (Dill, Daly, and Forbes) 569
White, lipid (Boyd and Stevenson) 491
Blood serum: Dissociation constant, apparent (Dill, Daly, and Forbes) 569
Brain: Lactic acid, origin (Kerr and Ghantus) 217
Bromobenzene: Absorption and detoxication, bile rôle (Stekol and Mann) 619
Bromophenylmercapturic acid: *p*-, synthesis, diet effect (Stekol) 147
Butyric acids: *n*-, α-amino-β-hydroxy-, synthesis (Wood, Madden, and Carter) 1

C

Callicrein: Chemistry (Bischoff and Elliot) 7
Carbamate: Equilibrium (Stadie and O'Brien) 439
Carbohydrate: Metabolism, brain (Kerr and Ghantus) 217
Carboxypeptidase: Specificity (Bergmann and Fruton) 189
Carnosine: *l*-, utilization, histidine-deficient diet (du Vigneaud, Sifferd, and Irving) 589
Chlorides: Blood and blood plasma, determination, dry ashing method (Wilkins and Jones) 481
Cholesterol: Chemical activation (Eck, Thomas, and Yoder) 655
Derivatives, chemical activation (Eck, Thomas, and Yoder) 655
Esters, blood serum, enzyme synthesis and hydrolysis, sodium glycocholate influence (Sperry and Stoyanoff) 525
Free and combined, determination, colorimetric (Smith and Marble) 673
Total, blood serum (Sperry) 391
Cholesterol digitonide: Precipitation, bile salts, effect (Bashour and Bauman) 551
Citric acid: Endogenous, precursors (Orten and Smith) 555
Colorimeter: Micro-, photoelectric (Evelyn and Cipriani) 365
Coloring matter: Apples (Sando) 45
Creatinine: Blood, laked, ultrafiltrates, presence (Gaebler) 397
— serum ultrafiltrates, presence (Gaebler) 397
Creatinine rubidium picrate: Blood plasma filtrates, precipitation (Behre and Benedict) 415

Cyclopropane: Blood, determination (ORCUTT and WATERS) 509
Cysteic acid: Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE) 309
Metabolism (WHITE, LEWIS, and WHITE) 663
Cysteine: Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE) 309
Cysteine sulfinic acid: Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE) 309
Cystine: Dismutation, mercuric sulfate and chloride action relation (LAVINE) 309
Mercuric sulfate and chloride action, cystine dismutation relation (LAVINE) 309
Metabolism (WHITE, LEWIS, and WHITE) 663
Protein, determination, hydrolysis time relation (SULLIVAN and HESS) 423

D

Deuterium: Fatty acid hydrogenation indicator (RITTENBERG and SCHOENHEIMER) 485
Diethoxypyrimidine: 2,4-, acetobromo-*d*-ribose and, interaction (HILBERT and RIST) 371

E

Electrode: Microquinhydrone (PIERCE) 651
Enzyme(s): Blood serum cholesterol esters, synthesis and hydrolysis, sodium glycocholate influence (SPERRY and STOYANOFF) 525
Intestine, new (BERGMANN and FRUTON) 189
Proteolytic, molds (BERGER, JOHNSON, and PETERSON) 429
See also Aminopeptidase, Carboxypeptidase, Succinoxidase, Trypsin, Urease
Erythrocyte: *See* Blood cell, red
Ethylene: Blood, determination (ORCUTT and WATERS) 509

F

Fats: Glycogen formation, relation (DEUEL, BUTTS, BLUNDEN, CUTLER, and KNOTT) 119
Fatty acids: Ethyl esters, glycogen synthesis relation (BUTTS, BLUNDEN, GOODWIN, and DEUEL) 131
Hydrogenation, deuterium as indicator (RITTENBERG and SCHOENHEIMER) 485
Feces: Silkworm, sterols (BERGMANN) 175
Filtrate factor: Properties, assay, and distribution (JUKES) 11

G

Gases: Solubility, determination (ORCUTT and SEEVERS) 501
Glucosemonophosphate: Calcium salt, yeast extract, isolation (SMYTHE) 135
Glycerophosphate: Calcium salt, yeast extract, isolation (SMYTHE) 135
Glycine: Activity, aqueous solution (SMITH and SMITH) 209

Glycine—*continued:*
Growth relation (McCoy and Rose) 581
Glycogen: Formation, fats, relation (Deuel, Butts, Blunden, Cutler, and Knott) 119
Synthesis, fatty acids, ethyl esters, relation (Butts, Blunden, Goodwin, and Deuel) 131
Growth: Glycine relation (McCoy and Rose) 581
Serine relation (McCoy and Rose) 581

H

Hemoglobin: Oxygenated, titration curves (German and Wyman) 533
Preparation (Morrison and Hisey) 693
Reduced, carbamate equilibrium (Stadie and O'Brien) 439
—, titration curves (German and Wyman) 533
See also Oxyhemoglobin
Hemorrhage: Anti-, vitamin, properties (Almquist) 517
Hexane: 2-Amino-, norleucine, configurational correlation (Levene and Mardashew) 707
Histidine: *d*-, optical inversion in body (Conrad and Berg) 351
-Deficient diet, *l*-carnosine utilization (du Vigneaud, Sifferd, and Irving) 589
Imidazole ring protection (du Vigneaud and Behrens) 27
Histidine—*continued:*
l-Amino-N-methylhistidine preparation from (du Vigneaud and Behrens) 27

I

Imidazole ring: Histidine, protection (du Vigneaud and Behrens) 27
Inorganic composition: Blood (Kerr) 227
Insulin: Reduced, properties (Stern and White) 95
Stability, factors influencing (Sahyun, Goodell, and Nixon) 685
Intestine: Enzyme, new (Bergmann and Fruton) 189
Iodine: Amino nitrogen determination, manometric, use (Kendrick and Hanke) 161

K

Ketosis (Deuel, Butts, Blunden, Cutler, and Knott) 119
(Butts, Blunden, Goodwin, and Deuel) 131

L

Lactic acid: Brain, origin (Kerr and Ghantus) 217
Lactogenic hormone: Extracts, chemistry (McShan and French) 111
Leucine: Nor-, 2-aminohexane, configurational correlation (Levene and Mardashew) 707
Leucocyte: *See* Blood cell, white
Lipid(s): Blood, anticoagulants, effect (Boyd and Murray) 629
— cell, white (Boyd and Stevenson) 491

Lipid(s)—*continued:*
Tobacco seed, Connecticut shade-grown (SALISBURY) 21

M

Malic acid: Rhubarb (PUCHER, CLARK, and VICKERY) 599
Tobacco leaves (PUCHER, CLARK, and VICKERY) 599
Marine products: (BERGMANN) 777
Mechanical vibration: Pepsin activity, influence (CHAMBERS) 639
Mercapturic acid: *p*-Bromophenyl-, synthesis, diet effect (STEKOL) 147
Synthesis, animals (STEKOL and MANN) 619
Mercuric chloride: Cysteine, cystine, cysteine sulfinic acid, and cysteic acid, action (LAVINE) 309
Mercuric sulfate: Cysteine, cystine, cysteine sulfinic acid, and cysteic acid, action (LAVINE) 309
Metabolism: Carbohydrate, brain (KERR and GHANTUS) 217
Intermediary, deuterium as indicator (RITTENBERG and SCHOENHEIMER) 485
Sulfur (WHITE, LEWIS, and WHITE) 663
Methyloside: Theophylline-*d*-allo-, synthesis (LEVENE and COMPTON) 37
Molds: Enzymes, proteolytic (BERGER, JOHNSON, and PETERSON) 429
Muscle: Salt and water, blood and, exchange, body water . effect (HASTINGS and EICHELBERGER) 73

N

Naphthalene: Absorption and detoxication, bile rôle (STEKOL and MANN) 619
Nitrogen: Amino. *See* Amino nitrogen
Nitrous oxide: Blood, determination (ORCUTT and WATERS) 509
Norleucine: 2-Aminohexane, configurational correlation (LEVENE and MARDASHEW) 707
Nucleosides: Synthetic (LEVENE and COMPTON) 37

O

Obituary: Benedict, Stanley Rossiter, preceding p. 429
Organic acids: Rhubarb (PUCHER, CLARK, and VICKERY) 599
Rhubarb leaves (PUCHER, CLARK, and VICKERY) 605
Oxidase: Succin-, inhibitors (POTTER and ELVEHJEM) 341
Oxyhemoglobin: Carbamate equilibrium (STADIE and O'BRIEN) 439

P

Pepsin: Activity, mechanical vibration influence (CHAMBERS) 639
Peptidase: Amino-, specificity (BERGMANN and FRUTON) 189
Carboxy-, specificity (BERGMANN and FRUTON) 189

Peptides: Dissociation constants, apparent acid, aqueous formaldehyde solution (DUNN and WEINER) 381
Sulfur-containing amino acids, metabolism (WHITE, LEWIS, and WHITE) 663
Phosphatides: Determination and stability (MAN) 183
Phosphoric acid: Esters, yeast extract (SMYTHE) 135
Phosphorus: Acid-soluble fractions, blood, potassium relation (KERR) 227
Plant: Juices, reducing substances, non-sugar (SCHLENKER) 727
Polysaccharide: Synthesis, soil microorganism relation (HASSID and CHANDLER) 203
Potassium: Blood, phosphorus fractions, acid-soluble, relation (KERR) 227
Propane: Cyclo-, blood, determination (ORCUTT and WATERS) 509
Protein(s): Hydrolysis, methods (SULLIVAN and HESS) 423
Tobacco mosaic, crystalline, aucuba mosaic virus, relation (STANLEY) 325
— — virus, activity, factors influencing (STANLEY) 725
— — —, crystalline, isolation from tomato plants (LORING and STANLEY) 733
Virus, crystalline, ultracentrifugal analysis (WYCKOFF, BISCOE, and STANLEY) 57
Proteolysis: Enzymes (BERGMANN and FRUTON) 189
—, molds (BERGER, JOHNSON, and PETERSON) 429
Pyrimidine: 2,4-Diethoxy-, acetobromo-*d*-ribose and, interaction (HILBERT and RIST) 371

Q

Quinhydrone: Electrode, micro- (PIERCE) 651

R

Reducing substances: Non-sugar, plant juices (SCHLENKER) 727
Rheum hybridum: *See* Rhubarb
Rhubarb: Leaves, organic acids (PUCHER, CLARK, and VICKERY) 605
Malic acid (PUCHER, CLARK, and VICKERY) 599
Ribose: Acetobromo-*d*-, 2,4-diethoxypyrimidine and, interaction (HILBERT and RIST) 371
Ribosidouracil: 1-*d*-, synthesis (HILBERT and RIST) 371

S

Salt: Blood and muscle, exchange, body water effect (HASTINGS and EICHELBERGER) 73
Solutions, isotonic, blood and muscle salt and water exchange, intravenous injection effect (HASTINGS and EICHELBERGER) 73
Serine: Growth relation (MCCOY and ROSE) 581
Silkworm: Feces, sterols (BERGMANN) 175
Sodium glycocholate: Blood serum cholesterol esters, enzyme synthesis and hydrolysis, influence (SPERRY and STOYANOFF) 525

Soil: Microorganism, polysaccharide synthesis, relation (Hassid and Chandler) 203
Starfish: Sterols (Bergmann) 777
Sterols: Chemical activation (Eck, Thomas, and Yoder) 655
Silkworm feces (Bergmann) 175
Starfish (Bergmann) 777
Succinoxidase: Inhibitors (Potter and Elvehjem) 341
Sugar: Microdetermination, copper-iodometric (Somogyi) 771
Non-, reducing substances, plant juices (Schlenker) 727
Sulfhydryl: Oxidation-reduction potentials (Borsook, Ellis, and Huffman) 281
Sulfur: Dietary, *p*-bromophenylmercapturic acid synthesis, effect (Stekol) 147
Metabolism (White, Lewis, and White) 663

T

Taurine: Metabolism (White, Lewis, and White) 663
Theophylline-*d*-allomethyloside: Synthesis (Levene and Compton) 37
Tobacco: Leaves, malic acid (Pucher, Clark, and Vickery) 599
Mosaic protein, crystalline, aucuba mosaic virus, relation (Stanley) 325
— virus, plants diseased with, virus proteins, crystalline, ultracentrifugal analysis (Wyckoff, Biscoe, and Stanley) 57
Mosaic virus protein activity, factors influencing (Stanley) 755
— — —, crystalline, isolation from tomato plants (Loring and Stanley) 733
Seed, Connecticut shade-grown, lipids (Salisbury) 21
Tomato: Plants, tobacco mosaic virus protein, crystalline, isolation from (Loring and Stanley) 733
Trypsin: Urease inactivation, effect (Sumner and Dounce) 713
Turtle: Blood, anoxia effect (Moreland) 471

U

Uracil: 1-*d*-Ribosido-, synthesis (Hilbert and Rist) 371
Urease: Inactivation, trypsin effect (Sumner and Dounce) 713

V

Virus: Aucuba mosaic, tobacco mosaic protein, crystalline, relation (Stanley) 325
Tobacco mosaic, plants diseased with, virus proteins, crystalline, ultracentrifugal analysis (Wyckoff, Biscoe, and Stanley) 57
— — protein, activity, factors influencing (Stanley) 755
— — —, crystalline, isolation from tomato plants (Loring and Stanley) 733
Vitamin: Antihemorrhagic, properties (Almquist) 517

Vitamin—*continued:*
B. *See also* Filtrate factor

W

Water: Blood and muscle, exchange, body water effect (HASTINGS and EICHELBERGER) 73
Body, blood and muscle salt and water exchange, effect (HASTINGS and EICHELBERGER) 73

X

Xylulose: *d-*, metabolism (LARSON, BLATHERWICK, BRADSHAW, EWING, and SAWYER) 719

Y

Yeast: Extract, glucosemonophosphate and glycerophosphate calcium salt, isolation (SMYTHE) 135